



STORAGE SYSTEMS

TECHNICAL BENCH



STANLEY

Vidmar

TECHNICAL BENCH

Stanley® Vidmar® Technical Bench Storage System

The Stanley® Vidmar® Technical Bench System lets companies tailor employee workstations to meet specific job requirements. Technical Bench Cabinets help organize and increase work and storage space. Technical Benching will help save your company time and help improve worker productivity at tool workstations, medical or electrical lab counters, general industrial offices, electro-static dissipative workstations (ESD) or any other application where benching products are required.

Cabinets

The cabinet is the cornerstone of a Vidmar® Technical Bench. All cabinets have flush fronts and recessed drawer pulls for safety. All cabinets have a 16-1/2 in. (419mm) W x 28-1/4 in. (717mm) D footprint. Three heights are available: 27-7/8 in. (711mm); 31 in. (787mm) and 35 in. (899mm) to meet your individual ergonomic needs. Cabinet doors are also available with adjustable cabinet shelves.

Drawers

Each Stanley® Vidmar® Technical Bench Cabinet Drawer carries a load capacity of 200 lbs. and can be opened / extended to full-drawer depth for easy access. Each drawer has 1955 square centimeters of storage space available in four drawer heights: 2-3/4 in. (60mm), 5-7/8 in. (149mm), 9 in. (229mm), and 12-3/16 in. (309mm). Each drawer is equipped with 200 lbs. rated ball bearing slides for smooth, quiet operation. Each drawer can be divided with full-depth, Vidmar® partitions and dividers. Five standard interior loading diagrams are available and partitions and dividers are factory configured and installed. The larger drawer unit can hold file folders without additional hardware. Recessed drawer pulls are designed to accept 1-1/4 in. (33mm) labels with 3/4 in. (19mm) font or common "P-Touch"® labels for easy readability.

Paint Finish

All Stanley® Vidmar® cabinets, drawers, and accessories are painted with an epoxy polyester-based powder coating. This durable coating provides:

- An improved surface durability (based on salt spray and scratch tests)
- Improved color consistency

This environmentally-friendly paint is available in ten (10) standard colors or in a variety of custom colors (for an additional fee) on a per-order basis.

Bright Blue
S22447



Dark Blue
S22578



Red
S50054




Vidmar Gray
S23321




Black
S20106



Off White
S22570



Beige
S20100



Vidmar Green
S20606




Hunter Green
S50091




Light Blue
S22577



Cabinets



Drawers



Work Surface



Casters



Accessories

CABINETS

Cabinet Height



27-7/8 in.

**PSTB28008
Model 8**

Desk Height

27-7/8 in. (711mm) high
16-1/2 in. (419mm) wide
28-1/4 in. (717mm) deep



31 in.

**PSTB31009
Model 9**

Table Height

31 in. (787mm) high
16-1/2 in. (419mm) wide
28-1/4 in. (717mm) deep



35 in.

**PSTB350010
Model 10**

Bench Height

35 in. (889mm) high
16-1/2 in. (419mm) wide
28-1/4 in. (717mm) deep

27-7/8 in. (711mm) Desk Height Preconfigured Cabinets: Model 8



1 58
1 58
2 816
4 File Drawer

TB2801A
4 Drawers
28 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)
12-3/16 in. (309mm)



1 58
2 816
2 816
3 816

TB2802A
4 Drawers
24 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)
9 in. (229mm)



1 58
1 58
1 810
1 810
2 816
2 816

TB2803A
6 Drawers
44 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)



4 File Drawer
4 File Drawer

TB2805A
2 Drawers
Usable Drawer Height
12-3/16 in. (309mm)



2 810
2 810
2 816
2 816


TB2806A
4 Drawers
20 Compartments
Usable Drawer Height
5-7/8 in. (149mm)



2 816
6 Door

TB2807A
1 Drawer
4 Compartments
1 Door (Right Hinge Shown)
1 Bottom Pan
Usable Drawer Height
5-7/8 in. (149mm)

31 in. (787mm) Table Height Preconfigured Cabinets: Model 9



1 58
1 58
1 816
2 816
4 File Drawer

TB3101A
5 Drawers
32 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)
12-3/16 in. (309mm)



1 58
2 88
2 88
2 810
2 816

TB3102A
5 Drawers
38 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)



1 58
1 58
2 816
2 816
3 816

TB3103A
5 Drawers
32 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)
9 in. (229mm)

35 in. (889mm) Bench Height Preconfigured Cabinets: Model 10



2 88
2 88
2 810
2 810
2 816

TB3501A
5 Drawers
32 Compartments
Usable Drawer Height
5-7/8 in. (149mm)



2 816
4 File Drawer
4 File Drawer

TB3502A
3 Drawers
4 Compartments
Usable Drawer Height
5-7/8 in. (149mm)
12-3/16 in. (309mm)



1 88
2 810
2 816
2 816
3 816

TB3503A
5 Drawers
26 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
5-7/8 in. (149mm)
9 in. (229mm)

DRAWERS

Drawer Height

Each drawer has 303 sq in. (1955cm²) of usable space. 25-1/8 in. (638mm) inside depth x 12 in. (309mm) inside width. Drawer selection by model number must add up to the cabinet height model number.



Model #	Usable Height		Side Wall Height	
	in.	(mm)	in.	(mm)
PSTB01	2-3/4 in.	(69mm)	2-5/8 in.	(66mm)
PSTB02	5-7/8 in.	(149mm)	5 in.	(127mm)
PSTB03	9 in.	(229mm)	8 in.	(203mm)
PSTB04	12-3/16 in.	(309mm)	9-1/2 in.	(241mm)



TB2804A
3 Drawers
12 Compartments
Usable Drawer Height
5-7/8 in. (149mm)
12-3/16 in. (309mm)



TB2808A
1 Shelf and
1 Door (Right Hinge Shown)
1 Bottom Pan



Interior Loading Diagrams (LD)


Fifteen spaces left to right and 32 spaces front to back to accommodate Vidmar® partitions. Combination of partitions and dividers form loading diagrams (LD's) to help create the storage compartments required. Factory installed selections shown.



TB3104A
1 Drawer
4 Compartments
1 Shelf and 1 Door (Right Hinge Shown)
1 Bottom Pan
Usable Drawer Height
5-7/8 in. (149mm)



TB3105A
3 Drawers
4 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
12-3/16 in. (309mm)



LDPSTB510
9 Compartments
(6) 4 in. x 8-5/8 in.
(102mm x 219mm)
(3) 4 in. x 7-7/8 in.
(102mm x 200mm)



LDPSTB810
6 Compartments
(2) 5-1/2 in. x 8-5/8 in.
(140mm x 219mm)
(1) 5-1/2 in. x 7-7/8 in.
(140mm x 200mm)
(2) 6-1/4 in. x 8-5/8 in.
(159mm x 219mm)
(1) 6-1/4 in. x 7-7/8 in.
(159mm x 200mm)



TB3504A
1 Drawer
4 Compartments
1 Shelf and 1 Door (Right Hinge Shown)
1 Bottom Pan
Usable Drawer Height
5-7/8 in. (149mm)



TB3505A
6 Drawers
36 Compartments
Usable Drawer Height
2-3/4 in. (69mm)
12-3/16 in. (309mm)



LDPSTB88
8 Compartments
(4) 5-1/2 in. x 6-1/4 in.
(140mm x 159mm)
(4) 6-1/4 in. x 6-1/4 in.
(159mm x 159mm)



LDPSTB58
12 Compartments
(12) 4 in. x 6-1/4 in.
(102mm x 159mm)







LDPSTB816
4 Compartments
(2) 5-1/2 in. x 12-1/2 in.
(140mm x 318mm)
(2) 6-1/4 in. x 12-1/2 in.
(159mm x 318mm)

ACCESSORIES

Modesty Panels

Formed, lightweight steel panel used to completely enclose the benching rear. Predrilled for fastening. Support braces included.

Modesty Panel #	Length	Workstation Top Size
AU-28-043-47	BL-CAB 43 in. (1092mm) W x 28 in. (711mm) H	48 in. (1219mm)
AU-28-055-47	BL-CAB 55 in. (1397mm) W x 28 in. (711mm) H	60 in. (1524mm)
AU-28-067-47	BL-CAB 67 in. (1701mm) W x 28 in. (711mm) H	72 in. (1829mm)
AU-31-043-47	BL-CAB 43 in. (1092mm) W x 31 in. (787mm) H	48 in. (1219mm)
AU-31-055-47	BL-CAB 55 in. (1397mm) W x 31 in. (787mm) H	60 in. (1524mm)
AU-31-067-47	BL-CAB 67 in. (1701mm) W x 31 in. (787mm) H	72 in. (1829mm)
AU-35-043-47	BL-CAB 43 in. (1092mm) W x 35 in. (889mm) H	48 in. (1219mm)
AU-35-055-47	BL-CAB 55 in. (1397mm) W x 35 in. (889mm) H	60 in. (1524mm)
AU-35-067-47	BL-CAB 67 in. (1701mm) W x 35 in. (889mm) H	72 in. (1829mm)
AU-28-026-33	CAB-CAB 26 in. (660mm) W x 28 in. (711mm) H	48 in. (1219mm)
AU-28-038-33	CAB-CAB 38 in. (965mm) W x 28 in. (711mm) H	60 in. (1524mm)
AU-28-050-33	CAB-CAB 50 in. (1270mm) W x 28 in. (711mm) H	72 in. (1829mm)
AU-31-026-33	CAB-CAB 26 in. (660mm) W x 31 in. (787mm) H	48 in. (1219mm)
AU-31-038-33	CAB-CAB 38 in. (965mm) W x 31 in. (787mm) H	60 in. (1524mm)
AU-31-050-33	CAB-CAB 50 in. (1270mm) W x 31 in. (787mm) H	72 in. (1829mm)
AU-35-026-33	CAB-CAB 26 in. (660mm) W x 35 in. (889mm) H	48 in. (1219mm)
AU-35-038-33	CAB-CAB 38 in. (965mm) W x 35 in. (889mm) H	60 in. (1524mm)
AU-35-050-33	CAB-CAB 50 in. (1270mm) W x 35 in. (889mm) H	72 in. (1829mm)



Stringer/Foot Rest Shelves


Use between cabinets or between bench legs and cabinets.

Stringer #	Length	Workstation Top Size
STBC043	BL-CAB 43 in. (1092mm)	60 in. (1524mm)
STBC055	BL-CAB 55 in. (1397mm)	72 in. (1828mm)
STBC068	BL-CAB 68 in. (1701mm)	84 in. (2133mm)
STCC043	CAB-CAB 43 in. (1092mm)	60 in. (1524mm)
STCC055	CAB-CAB 55 in. (1397mm)	72 in. (1828mm)
STCC068	CAB-CAB 60 in. (1710mm)	84 in. (2133mm)
Foot Rest Shelf #	Length	Workstation Top Size
SHBC040	BL-CAB 40 in. (1016mm)	60 in. (1524mm)
SHBC052	BL-CAB 52 in. (1321mm)	72 in. (1828mm)
SHBC064	BL-CAB 60 in. (1524mm)	84 in. (2133mm)

Base Extensions

Protect the outside floor level surfaces of the cabinets with kick plates or extend toe space with extensions. Ideal for high-traffic areas.

Extension #	Description	Height
PSTBKP1	Stainless Steel Kick Plate	7 in. (177mm)
PSTRB1	Recessed Base	3 in. (76mm)
PSTNRB1	Base Extension	2 in. (50mm)



Other Accessories

Accessory #	Description	Height
SLIOTB	Lock Kit	
NB2HRTB5	2 in. (51mm) Mobile Castor Kit	3-1/4 in. (83mm)
PSTBCS20	200 lbs. Bottom Shelf	
PSTBBP20	200 lbs. Bottom Pan	
PSTBSD06	LH or RH Door Only	19 in. (480mm)
PSTBSD07	LH or RH Door Only	22 in. (560mm)
PSTBSD08	LH or RH Door Only	25-1/4 in. (640mm)
PSTBSD09	LH or RH Door Only	28-3/8 in. (720mm)
PSTBSD10	LH or RH Door Only	31-1/2 in. (800mm)





**Call for a free, no-obligation survey and storage analysis
from a Stanley Vidmar Storage Professional.
They can recommend a storage system specifically designed
to suit your inventory, facility and personnel.**

PH: 1-800-523-9462

FAX: 1-800-523-9934

STANLEY

Vidmar®

11 Grammes Rd., PO Box 1151, Allentown, PA 18105-1151

www.stanleyvidmar.com

www.stanleyworks.com